

MATERIAL SAFETY DATA SHEET FOR BOSS GAS LEAK DETECTOR SPRAY



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Product type:	Gas Leak Detector
Intended use & Specification:	Gas Leak Detector is a totally non-flammable product. Designed to find gas leaks in pipes/fittings/joints. The product is safe to use on all gases. The propellant is compressed air. The propellant always remains inside the aerosol canister. The Gas Leak Detection Fluid is propelled from the can by internal pressure. Note: The aerosol remains fully pressured when empty.
Trade Name:	BOSS Gas Leak Detector
Supplier of product:	The BSS Group plc
Registered Office:	Fleet House, Lee Circle, Leicester, LE1 3QQ
Telephone/Fax Numbers:	0116 262 3232 / 0116 253 1343
E-mail Address	reception@bssgroup.com
Web site Address	www.bss-group.co.uk

2. HAZARD IDENTIFICATION

No hazardous content

3. COMPOSITION/INFORMATION ON INGREDIENTS.

INFORMATION ON INGREDIENTS/COMPOSITION LG-90 ALL VARIANTS:				
Ingredients:	CAS NO:	EINECS NR:	RISK PHRASES	QUANTITY
De-Ionised Aqua Surfactans Soaps.	-	-	-	-
(No Ingredients Classed as Hazardous)				
The full text for all risk phrases are listed in Section 15/16.				

4. FIRST AID MEASURES

Skin Contact:	Wash skin with soap and water.
Eye Contact:	Ensure contact lenses are removed, rinse eyes with clean cold water or eye rinse fluid, ensure to lift eyelids to flush product from underside of eyelids, continue to rinse until any irritation subsides (10-15 mins). Seek medical attention if discomfort is encountered
Ingestion:	Accidental ingestion is an unlikely event. Do not induce vomiting, rinse mouth with water and give water or milk to drink.
Inhalation:	Accidental inhalation is an unlikely event. Ensure airway is clear and free from any obstruction. Move person to fresh air at once.

5. FIRE FIGHTING MEASURES

Totally non-flammable contents. Cool containers exposed to fire with water mist. Containers may burst in a fire.

MATERIAL SAFETY DATA SHEET FOR BOSS GAS LEAK DETECTOR SPRAY

6. ACCIDENTAL RELEASE MEASURES

Procedures for Leaks or Spillages:	Place leaking cans in a pail. Soak up liquid with sand.
Environmental Precautions:	No special precautions product is biodegradable.

7. HANDLING AND STORAGE:

Handling:	No special precautions. Keep away from heat. This product contains compressed air
Storage precautions:	Store below 50°C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.
Observe the label precautions.	
Specific Uses:	See Section 1

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

No specific exposure controls required for this product.	
No personal protection required.	
Engineering Measures:	None required.
Respiratory Protection:	No special requirements.
Hand Protection:	None specified.
Eye Protection:	Avoid spray from entering eyes. Safety Glasses are advised for Factory/Industrial users of the product.
Skin Protection:	None specified
Hygienic Work Routines:	Wash hands/face at the end of each shift and before eating/smoking/using toilet. Remove promptly any clothing contaminated with product and wash skin to remove traces of product. Do not eat or drink when using this product.
Environmental Exposure Controls:	Dispose used containers in accordance with local waste disposal regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid contained in steel aerosol canister.
Appearance	White liquid.
Odour:	None.
pH:	8.55
Melting Point/Melting Range	N/A
Flash Point:	None
Flammability:	None
Autoflammability:	None
Explosive Properties:	None
Oxidising Properties:	None
Can Pressure:	2 bar
Relative Density:	Not applicable.
VOC Content:	N/A
Solubility (Water)	Soluble
Solubility (Solvent):	Non-Soluble
Accidental release into the environment see Section 6	

MATERIAL SAFETY DATA SHEET FOR BOSS GAS LEAK DETECTOR SPRAY

10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	Avoid heat/sparks open flames.
Incompatibility (Materials to Avoid):	Oxidising agents, strong acids, strong alkalis.

11. TOXICOLOGICAL INFORMATION

Ingredient:	This product is non-toxic. Continuous use may result in skin de-fatting if suitable barrier is not employed.
--------------------	--------------------------------------------------------------------------------------------------------------

12. ECOLOGICAL INFORMATION

There is no data available on the product itself. Avoid release into surface water. Not a marine pollutant. Refer to section 6 for environmental release measures

13. DISPOSAL CONSIDERATIONS

Empty cans will still contain compressed air using the information provided in this data sheet. Advice should be sought from suitable waste disposal concerns regarding disposal.

14. TRANSPORT INFORMATION

NOTES: Exempt from Control as limited provisions apply Not classed as hazardous for Transportation	
UN No. AIR:	UN NO. 1950
ADR Class No:	CLASS 2 GAS/COMPRESSED AIR

15. REGULATORY INFORMATION

Label for Supply:	KEEP OUT OF THE REACH OF CHILDREN
Risk Phrases:	Avoid contact with eyes If swallowed seek medical advice
Regulatory References:	Chemical Hazard Information and Packing Regulations 1993. Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) 1980. Introduction to Local Exhaust Ventilation HS(G)37. C.H.I.P. for everyone HSG (108).

MATERIAL SAFETY DATA SHEET FOR BOSS GAS LEAK DETECTOR SPRAY

16. OTHER INFORMATION

The information contained in this data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information and Packaging) Regulations. It does not constitute the user's own assessment of work-place risks as required by other health and safety legislation. The provisions of the Health and Safety at Work etc. Act and the Control of Substances Hazardous to Health Regulations apply to the use of this product at work.

The product should not be used for purposes other than those shown in Section 1. without first referring to the supplier and obtaining written handling instructions. As the specific conditions of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of the relevant legislation are complied with.

OES/MEL values are obtained from the current issue of EH40 unless indicated thus (Sup) when a value has been obtained from the supplier.

We believe the statements/technical information and recommendations contained herein are reliable. However, the information is provided without warranty expressed or implied. It is the user's responsibility both to determine safe conditions for use of this product and assume loss damage or expense direct or consequential arising from use of this product. Before use always read the product label and H & S text.

Further information and advice can be found in the following publications:

The Control of Substances hazardous to Health Regulations 1988 (SI1988 : 1657)

Storage of Packaged Dangerous Substances HS(G)71

The Environmental Protection (Duty of Care) Regulations 1992 (SI 1992 : 2839)

The Highly Flammable Liquids and Liquefied Petroleum Gases Regulations 1972 (SI 1972 :917)

Storage of Flammable Liquids in Containers HS(G)51

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulations. The information contained herein is based on the current state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should be construed as guaranteeing specific properties.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.