



Domestic & Commercial Ventilation Systems

Product Selector

Wall Outlets

100mm Range

- Gravity flaps provide protection from back drafts.
- Louvred grilles provide optimum airflow.
- Cowls provide protection from wind, rain and back drafts.

	100mm Wall Outlet with Gravity Flaps	brown	○	16210017	4900B
		white	○	16210006	4900W
		brown	□	16210039	4901B
		white	□	16210028	4901W
	100mm Cowled Wall Outlet with Damper	brown	○	16210338	4902B
		white	○	16210327	4902W
		brown	□	16210360	4903B
		white	□	16210349	4903W
	100mm Louvred Grille	brown	○	16210722	4904B
		white	○	16210711	4904W
		brown	□	16210744	4905B
		white	□	16210733	4905W

125mm Range

- Gravity flaps provide protection from back drafts.
- Louvred grilles provide optimum airflow.
- Cowls provide protection from wind, rain and back drafts.
- Airbricks form part of the brickwork

	125mm Wall Outlet with Gravity Flaps	brown	○	16211318	5900B
		white	○	16211307	5900W
	125mm Cowled Wall Outlet with Damper	brown	○	16210382	5902B
		white	○	16210371	5902W
	125mm Louvred Grille	brown	○	16210755	5904B
		white	○	16211200	5904W
	Horizontal Louvred Airbrick with Damper	brown [†]		16212748	501B
		white [†]		16212704	501W

[†] Connects direct to Supertube 125 or to System 100 with 40077








100mm Ducting








- Rectangular: System 100 (110 x 54mm)
- Round: EasiPipe 100 (100mm I.D.)


Recommended for the extraction of bathroom and toilet fans and low powered kitchen extraction (under 250 m³/hr). Also ideal for tumble dryers.















up to 250 m³/hr

	Rectangular Flat Channel 1m	16215230	DD010
	Rectangular Flat Channel 2m	16215241	D1-2000
	Rectangular Flat Channel Connector	16215285	DD020
	Rectangular Elbow Bend with 100mm I.D. Socket	16215326	DD030
	Rectangular Elbow Bend with 100mm O.D. Spigot	16215348	DD040
	Rectangular Horizontal 90° Bend	16215370	DD050
	Rectangular Horizontal 45° Bend	16215422	DD055
	Rectangular Vertical 90° Bend	16215411	DD060

	Rectangular Vertical 45° Bend	16215433	DD075
	Rectangular to 100mm I.D. Round Adapter	16215477	DD070
	Short Rectangular to 100mm O.D. Round Adapter	16215488	DD071
	Rectangular Airbrick Adapter	16213001	DD077
	Rectangular Horizontal T Piece	16215466	DD080
	Round Wall Plate	16217511	114-4
	Rectangular Wall Plate	16215499	115-4

	Rectangular Flexible Hose 3m	16220525	333
	Circular Adapter 100/125mm	16217522	119
	Circular Adapter 100/110mm	16217533	120
	Rectangular Flat Channel Clip	16215263	122-4
	Round Threaded Hose Connector 100mm I.D.	16220654	126-4
	Round Threaded Hose Connector 100mm O.D.	16220643	124-4
	Round Flexible PVC Hose Clip	16220665	125-4
	Round Aluminium Duct Fixing Clip	16219142	127-4









	Round Pipe 350mm	16217363	135-4
	Round Pipe 2m	16217352	1200-4
	Round Flexible PVC Hose 1m	16220610	361
	Round Flexible PVC Hose 3m	16219227	363
	Round Flexible PVC Hose 6m	16220621	366
	Round 90° Bend	16217396	490
	Round 45° Bend	16217415	491
	Round Equal T Piece	16217426	492
	Round Duct Connector	16217470	493
	Round Condensation Trap 100/110mm	16217500	497
	Round Aluminium Duct 1.5m	16219293	403215
	Round Aluminium Duct 300mm	16219282	403203







125mm Ducting




- Rectangular: Supertube 125 (204 x 60mm)
- Round: EasiPipe 125 (125mm I.D.)




Recommended for the extraction of medium to high power fans and cooker hoods in the kitchen (500 m³/hr approx.)




	Rectangular Flat Channel 1m	16215732	510
	Rectangular Flat Channel 2m	16215743	D3-2000
	Rectangular Flat Channel Connector	16215776	520
	Rectangular Elbow Bend with 125mm O.D. Spigot	16215828	540
	Rectangular Horizontal 90° Bend	16215924	550
	Rectangular Horizontal 45° Bend	16216007	555
	Rectangular Vertical 90° Bend	16215990	560
	Rectangular Vertical 45° Bend	16216018	575

	Rectangular to Round 125mm I.D. Adapter	16216062	570
	Rectangular Horizontal T Piece	16216051	582
	Universal Duct, 300mm	16216103	58303
	Round Wall Plate	16218022	114-5
	Rectangular Wall Plate	16216084	115-5W
	Circular Adapter 125/150mm	16218033	118

	Rectangular Flat Channel Clip	16215754	122-5
	Round Hose Clip	16220130	125-5
	Round Pipe 350mm	16218000	135-5

	Round PVC Flexible Hose 1m	16220632	561
	Round PVC Flexible Hose 3m	16219430	563
	Round Duct Connector	16218011	593



Duct Sealant



	Duct Sealant 310ml	16219109	DDSEAL
--	--------------------	----------	--------

FireBrake

- Required when penetrating a compartment wall with plastic ducting e.g. between flats or to a garage. 2 hour fire rating.
- Tested to BS 476 Part 20: 1987 / EN1366-3
- Meets requirement Document B of UK Building Regulations






	System 100 Connector (110 x 54mm)	16223007	DF087
	Supertube 125 Connector (204 x 60mm)	16223018	587

	EasiPipe 100 Connector (100mm)	16223029	488
	FireBrake Mastic (310ml)	16223040	MAS87

Ducting Kits

Ready made kits for common kitchen, bathroom and utility room installations.

	100mm Round Hose Kit with Gravity Flap Outlet 1m	16220676	205W
	125mm Round Hose Kit Gravity Flap Outlet 1m with Airbrick 3m	16220687	216W

	100mm Fresh Air Supply Set	white	16222005	2404W
		brown	16222016	2404B
		cotswold (beige)	16222027	2404C
		terracotta	16222038	2404T

- Inlet design provides virtually draught-free fresh air supply
- Suitable for walls up to 450mm thick
- Ideal for use with exhaust air heat pumps
- Suitable for use in conjunction with appliances where replacement air is required
- Includes removable washable filter
- Available with four different external outlet choices
- Flow rate 7.1 l/s @ 10 Pa (tested by University of Cambridge)

Extractor Fans



100mm Axial Fans

- For distances under 1.5m in bathrooms and toilets.





	Standard Wall Fan	16228006	S1
	Pull Switch Wall Fan	16228017	P1
	Timer Wall Fan	16228028	T1
	Humidistat Wall Fan	16228050	H1
	Timer Wall Fan, Chrome	16228039	T1CH
	Wall Fixing Kit (400mm wall thickness)	16228061	1K
	Interchangeable Fascia - chrome (to convert/replace standard white fascia)	16227506	F1CHR

150mm Axial Fans

- For distances under 1.5m in kitchens and utility rooms.




	Standard Wall Fan	16228135	S15
	Pull Switch Wall Fan	16228146	P15
	Timer Wall Fan	16228157	T15
	Wall Fixing Kit (400mm wall thickness)	16228168	15K

100mm In-Line Duct Fans

- For distances of up to 3m in bathrooms, shower rooms and toilets (ceiling void/loft installation)




	Standard Duct Fan with Ceiling Kit	16228072	S1DK
	Timer Duct Fan with Ceiling Kit	16228083	T1DK

100mm VentLight In-Line Duct Fans

- For distances of up to 3m in bathrooms, shower rooms and toilets (ceiling void/loft installation)
- 12V light provides attractive and safe illumination.





	Standard Duct Fan with VentLight Ceiling Kit	white	16228094	LS1DK
		chrome	16228102	LS1DKCH
	Timer Duct Fan with VentLight Ceiling Kit	white	16228113	LT1DK
		chrome	16228124	LT1DKCH

100mm Centrifugal Fans

- For distances of up to 10m in the bathroom, toilet or utility room.



	Timer Economy Wall / Ceiling Fan	16227015	T1EC
---	----------------------------------	----------	------



E & EO We reserve the right to alter product specification without prior notice.

Domestic & Commercial Ventilation Systems



Product Selector

BSS Drainage

1 Columbus Way
Salford
Manchester
M50 2UU

tel: 0161 888 6420
fax: 0161 872 9676

email: drainage1340@bssgroup.com

BSS Drainage

Units 2 & 4 Crystal Drive
Sandwell Business Park
Smethwick
West Midlands
B66 1QG

tel: 0121 543 2840
fax: 0121 552 5363

email: drainage1220@bssgroup.com

BSS Drainage

Chessington Industrial Estate
Oakcroft Road
Chessington
Surrey KT9 1RH

tel: 020 8974 3807
fax: 020 8391 5241

email: drainage1950@bssgroup.com

BSS Drainage

Albert Road
St Philips
Bristol
BS2 0BS

tel: 0117 972 7912
fax: 0117 972 7901

email: drainage1250@bssgroup.com

BSS Drainage

Unit 1 Pylon Industrial Estate
Cody Road
Canning Town
London
E16 4SP

tel: 020 7540 5260
fax: 020 7473 6000

email: drainage1370@bssgroup.com

BSS Drainage

Units A2 & A3 Worton Drive
Worton Grange Industrial Estate
Reading
RG2 0TG

tel: 0118 923 8922
fax: 0118 975 0497

email: drainage1180@bssgroup.com

www.bssindustrial.co.uk

©2009 Polypipe Ventilation

All photographs & illustrations are the copyright of
Polypipe Ventilation and are not for reproduction